PATHOLOGISTS
LANCET
KENYA (PLK)
Key to diagnostic excellence
Maabara ya Kisasa

LANCET KENYA
8th Floor - 5th Avenue Building
Tel : +254 20 493-1000

Email : info@lancet.co.ke
Website : www.lancet.co.ke

PATHOLOGY LAB REPORT

M0462

For Doctor
DR. AHMED KALEBI
LANCET GROUP OF LABORATORIES
P O BOX 117 00202,
.... NAIROBI

Other Doctors
Copy : SMS PATIENT REPORT TANZANIA

Patient	: PATOO	Guarantor	: MR PATOO
Doctors Ref	: NOT AVAILABLE	MedAid	: TZ STD CASH
Age/Sex/DOB	: 30 / M /	Tel	:
Id Num	: NOT AVAILABLE		

Lab Ref	: 772029891	Collection Date	: 02/09/16 1352
MRI No.	: ZT00149199	Received Date	: 02/09/16 1352
Spec #	: 16:MU0209268L	FINAL Report Date	: 05/09/16 0803

Tests : ., : U CULT

MICROBIOLOGY

Source URINE Description RANDOM

Procedure	Result
> VIABLE COUNT	
COLONY COUNT (1)	10*3 CFU per ml (approx 1000 organisms)
> ROUTINE CULTURE (URINE)	

(1) No pathogenic bacteria (extraneous contaminants).

Sensitivity tests not undertaken.

> ANTIMICROBIAL SUBSTANCES
Not detected

For consultation please call:+255 68 3042345 or +255 22 2668826 or +255 22
Dr Ahmed Kalebi +254 703 061 000
Dr Juanita Smit (SA) +2711 358 7066
Dr Henry Booker (SA) +2711 358 0713

Lab Technologist: GERUKA,S

Results can be delivered through Lancet Mobile Apps.
Visit www.lancet.co.ke or www.lancet.co.tz or www.lancet.co.rw for details

AutoSystem:liv-PMAIL:email.DrP:2459250 ** End of Report **

The trial version converts only 1 page. Evaluation only.
Converted by First PDF.
(Licensed version doesn't display this notice and converts the whole PDF document!)

Click to get the license for First PDF.